




AKEMI
Hanging fabrics




8700



6742



8102



3020




8100




6756




6732



6837



3655



3368



3355



3225




3978




3746




3935



3067



5868



5853



6426



5246

AKEMI

Hanging fabrics

Design by: Annie Lee Jönsson

Width: 150 cm

Weight: 210 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- DIN 4102, B1- NF P 92-503-507, M1- EN 13773, Class 1- SN 198898-BS 5867:

- NF P 92-503-507, M1

- EN 13773, Class 1

- SN 198898

- BS 5867: Part 2, Type B

- IMO FTP Code Part 7

Acoustics:

Measurement of sound absorption in a reverberation room: EN ISO 354:2003 Ration of sound absorption EN ISO 11654:1997: w = 0,80, Class B

Care instructions:



Certificates:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com





5235



4656



4466



4424



4377

AKEMI

Hanging fabrics

Design by: Annie Lee Jönsson

Width: 150 cm

Weight: 210 g/m²

Material: Trevira CS 100%

Shrinkage: 2 %

Color fastness:

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against washing according to EN ISO 105-C06

- 4-5 (Scale 1-5)

Flame retardancy:

- DIN 4102, B1- NF P 92-503-507, M1- EN 13773, Class 1- SN 198898-BS 5867:

- NF P 92-503-507, M1

- EN 13773, Class 1

- SN 198898

- BS 5867: Part 2, Type B

- IMO FTP Code Part 7

Acoustics:

Measurement of sound absorption in a reverberation room: EN ISO 354:2003 Ration of sound absorption EN ISO 11654:1997: w = 0,80, Class B

Care instructions:



Certificates:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

