






ROCK
Upholstery fabrics



3072



3227



3252




3332




3427



3451




3461




4343



4352




4380




4436




4451




4471




4472




4654




5051




5251



5345



5360



6036

ROCK

Upholstery fabrics

Design by: Eva Larsson

Width: 140 cm

Weight: 300 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to
EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO
105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to
EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 50000 rubs

Flame retardancy:

- EN 1021-1, 2- IMO FTP Code 2010:

- IMO FTP Code 2010: Part 8

Care instructions:



Certificates:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com







6045




6242



6360




6453




6562




6572



6645



6745



6755



6760

ROCK

Upholstery fabrics

Design by: Eva Larsson

Width: 140 cm

Weight: 300 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to
EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO
105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to
EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 50000 rubs

Flame retardancy:

- EN 1021-1, 2- IMO FTP Code 2010:

- IMO FTP Code 2010: Part 8

Care instructions:



Certificates:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

