




RAMI
Upholstery fabrics




4342




4380



4345




4454



4625



4642



4745




4831



5028



5936



5872



6054



6336




6165



6636




6072




6727



6918



3027



3124

RAMI

Upholstery fabrics

Design by: Eva Larsson

Width: 140 cm

Weight: 600 g/m²

Material: Wool 80%
Rami 20%

Color fastness:

Against dry rubbing according to EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO 12947-2):

- 70000 rubs

Flame retardancy:

- BS 5852 crib 5

- UNI 9175, 1 IM

- TB 117 IMO FTP Code Part 8 (IMO Res.A.652 (16))

Care instructions:



Certificates:



For further information:


Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com






3022



3145



6972



3318




3536



3726



3863




3622



3651



6810



3030



3072



8700



8500



6370



6331




4861



8200



6380



8900

RAMI

Upholstery fabrics

Design by: Eva Larsson

Width: 140 cm

Weight: 600 g/m²

Material: Wool 80%
Rami 20%

Color fastness:

Against dry rubbing according to EN ISO 105-X12:

- 4 (Scale 1-5)

Against light according to EN ISO 105-B02

- 5-7 (Scale 1-8)

Against wet rubbing according to EN ISO 105-X12:

- 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO 12947-2):

- 70000 rubs

Flame retardancy:

- BS 5852 crib 5
- UNI 9175, 1 IM
- TB 117 IMO FTP Code Part 8 (IMO Res.A.652 (16))

Care instructions:



Certificates:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

