


3124



3227



3363



3418



3436




3481



3554



3622



4342



4363




4424



4432



4570



4572




4852



4863



5042



5572



5663



5745

SEMI

Upholstery fabrics

Design by: Eva Larsson

Width: 140 cm

Weight: 330 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to
EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Against light according to EN ISO
105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to
EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 100000 rubs

Flame retardancy:

- EN ISO 1021 part 1, 2- BS 5852

Crib 5- IMO FTP Code 2010:

- BS 5852 Crib 5

- IMO FTP Code 2010: Part 8

- UNI 9175, 1 IM

- TB 117

Care instructions:



Certificates:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00


F: +46 320 21 10 10

E: info@ludvigsvensson.com






5925



6081



6145




6431



6434



6536



6623



6661




6727



6745



6750



6752




6918




6936




6963



8400



8500



8600



8700



8900

SEMI

Upholstery fabrics

Design by: Eva Larsson

Width: 140 cm

Weight: 330 g/m²

Material: Wool 85%
Polyamid 15%

Color fastness:

Against dry rubbing according to
EN ISO 105-X12:

- ≥ 4 (Scale 1-5)

Against light according to EN ISO
105-B02

- ≥ 5-7 (Scale 1-8)

Against wet rubbing according to
EN ISO 105-X12:

- ≥ 3-4 (Scale 1-5)

Abrasion resistance:

Martindale (According to EN ISO
12947-2):

- 100000 rubs

Flame retardancy:

- EN ISO 1021 part 1, 2- BS 5852

Crib 5- IMO FTP Code 2010:

- BS 5852 Crib 5

- IMO FTP Code 2010: Part 8

- UNI 9175, 1 IM

- TB 117

Care instructions:



Certificates:



For further information:

Svensson
511 82 Kinna, Sweden

T: +46 320 20 92 00

F: +46 320 21 10 10

E: info@ludvigsvensson.com

